



TECHNICAL SPECIFICATIONS CONCERTHALL

A. General

1. Contact

Handelsbeurs concerthall
Kouter 29
9000 GENT
www.haconcerts.be

Tel. alg.: +32 (0)9 265 91 60
Fax: +32 (0)9 233 55 76

Production planning:
Wolf Raman
Tel.: +32 (0)9 265 91 70
wolf.raman@haconcerts.be

Technical contacts:
Diether Van Vooren
Cell: +32 (0)473 49 99 73
diether.vanvooren@haconcerts.be

Wim Vaes
Tel.: +32 (0)9 265 91 67
wim.vaes@haconcerts.be

Joachim Verschaeve
Cell: +32 (0)485 14 46 51
joachim.verschaeve@haconcerts.be

Jasper Persoons
Tel.: +32 (0)9 265 91 63
Jasper.persoons@haconcerts.be

Timothy Lambrecht:
Cell: +32(0)498 59 28 06
joachim.lambrecht@haconcerts.be

2. Parking

- > Cars: underground paid parking Kouter (closing time: 2 AM weekdays / 4 AM weekends)
- > Delivery van: Height above 2 m: paid parking in the street
- > Tourbusses etc.: Bus parking station Ghent Dampoort (no electricity supplied)
- > Loading dock at Ketelvest (Across nr. 26)

3. Hoyer settings:

The foyer is a flat floor Hall next to the concert hall.
Standing audience: 300 pax
Seated audience: 120 pax
Club: 120 pax

4. Measurements

Foyer

- > Length foyer: 29m00
- > Width foyer: 10m60

5. Capacity

- > Standing audience: max 300 pax
- > Seated audience: max 120 pax
- > Club: max 200 pax

6. Loading dock at the back of the hall. Ketelvest (wooden bridge)

- > All loading and unloading can be done here. Maximum capacity is 20tons.
- > Easy access to the stage and the foyer

7. Technical space for sound and lighting control

- > At 2/3 of the hall > Distance from front of stage: ± 10 m
- > Size depends on equipment
- > Intercom trough sounddesk

8. House lights

- > Are controlled from the lichtdesk

9. Power supply in concerthall, not in foyer

- > 1 x 63A 3 phase (380V) + N + earth (CEE FORM)
- > 1 x 32A 3 phase (380V) + N + earth (CEE FORM) for lights
- > 1 x 32A 3 phase (380V) + N + earth (CEE FORM) for sound.
- > 1 x 32A 3 phase (380V) + N + earth (CEE FORM) for Video

10. Safety

- > Everything brought into the hall must comply with current regulations issued by ARAB, AREI and Vlare II. Sets, wood, cloths, etc., in particular must be treated with a fire-retardant. The use of any smoke, fire, etc., must be requested in advance. The technical manager of De Handelsbeurs retains the right to forbid the use of such items if he considers them to be unsafe.
- > Pyrotechnics are strictly forbidden.
- > Smoking is strictly prohibited in the entire building.

11. Handelsbeurs staff

We have a skilled technical team available.

Staff schedules must be thoroughly discussed in advance.

> Number of technicians in house: 1 or more on request

12. Trusses and hoists

> Number of trusses 2 frames of 6x 9m.

> All trusses in the Foyer are painted white, 30 x 30 square, Each truss is suspended from 2 electric hoists

> Maximum weight permitted per truss frame: 250 kg evenly distributed

> Extra trusses are available (30 x 30, ladder trusses and corner pieces)

> De Handelsbeurs has a wide range of rigging equipment (belts, steel cable slings, steel cables, safety cables, coupling links, doughy clamps)

13. Drapes

> Backdrop: black, 2 sections 8 m high, 5 m wide

> Film-screen in front of a window frontprojection sheeting: 3 m by 3 m

> Stage skirts: various sizes

14. Floor

> Hardwood floor: oak

> There is a small stage: 4,25 m x 2 m x 0,40 m high consists of 5 x stage elements of 2 m x 0,85 m. Height is 0,40 m.

B. Light

1. Control

> CHAMSYS PC next to bar in foyer

> CHAMSYS Magic Q MQ 100 Expert + wing from cocerthall

> Dimmers: 8 x 3 kW on the floor
16 x 3kW in the grid

> All sockets are the blue CEE 16A. (Adapters to household sockets available)

2. Lights

> 4 x led pC

> per frame: 08 x RGBAW+UV led Par DMX Chauvet Colourdash Par Hex 8

3. Haze

> Sweefog Ultimate 3000

C. Sound

Note: In case of venue- rental all sound material must be ordered beforehand.

1. Mixers

- > Soundcraft Si Performer 32
- > Soundcraft Ui24r

2. FOH

- > 2x K-array 400

3. Monitors from concert hall

- > 6x monitor Seaburg 15" powered

4. Microphones from concert hall

Make Model Type

- > 2 x Shure Beta 52 A
- > 6 x Shure Beta 58 A
- > 6 x Shure SM 58
- > 6 x Shure Beta 57 A
- > 6 x Shure SM 57
- > 2 x Shure Beta 87 A
- > 2 x Shure Beta 91A
- > 2 x Shure SM 81
- > 3 x Shure KSM9
- > 4 x DPA 4099 clip-on
- > 2 x AKG 414
- > 2 x AKG 451
- > 4 x AKG 535
- > 6 x Neuman KM 184
- > 2 x Neuman KM 185
- > 8 x BSS AR 133 DI Active
- > 4 x Apex Stereo DI dBDI-2
- > 6 x E604 Sennheiser
- > 2 x 421 Sennheiser
- > 2 x 906 Sennheiser
- > 1 x RE20

[...]

- > 6 x E604 Sennheiser
- > 2 x 421 Sennheiser
- > 2 x 906 Sennheiser
- > 1 x RE20 Electovoice
- > 2 x 441 Sennheiser
- > 2 x D6 Audix
- > 2 x M88 Beyer Dynamic
- > 2 x KSM9 ULXD Wireless
- > 3 x Pro 35 (clip-on)

D. Projection

- > De Handelsbeurs foyer has a video projector: NEC PA 653UL
- > switch Extron DTP switch
- > Film-screen in front projection: 3 m by 3 m,

E. Piano

- > Steinway and Sons grand piano Type D [Tuned at 442 Hz]
- > Yamaha C5X [Tuned at 440 Hz]

F. Performer Accommodation

There are two dressing rooms and a catering room

Dressing room 1: production room & catering room, with fridge, coffee machine, electric kettle, glasses, plates, cutlery, tables and chairs, internet connection

Dressing room 2: with armchairs, internet connection. Suitable for 6 people

Dressing room 3: with worktops and hot & cold water, mirrors and showers, internet connection. Suitable for up to 15 people

There are two restrooms immediately adjacent to the dressing rooms